


Watch Movement Parts List and Disassemble Guide

Cal.VS15A

SOLAR SERIES

- 2 hands



MOVEMENT SPECIFICATIONS

Movement Size 5 1/2'''

Height 2.49mm


Casing Diameter 11.8 × 15.15mm

Running Time Approx. 12 months


Cal.VS15A Parts List 零件一覽表

No.	PARTS NAME	CHINESE(簡体字)	QTY	VS15A1
(1)	Solar cell unit(round)	太阳能电池组件	1	4020 583
	Solar cell unit(square)	太阳能电池组件	(1)	4020 584
	Solar cell unit(square small size)	太阳能电池组件	(1)	4020 532
	Solar cell unit(barrel)	太阳能电池组件	(1)	4020 585
	Solar cell unit(Specifications)	太阳能电池组件	(1)	4020 536
(2)	Dial washer	时轮簧	1	0491 735
(3)	Solar cell lead terminal	太阳能电池引极片	2	4246 644
(4)	Hour wheel	时轮	1	0271 946
(5)	Screw	螺丝	2	0022 221
(6)	Circuit cover	电路板盖	1	4461 540
(7)	Circuit block	电路板	1	4000 657
(8)	Lithium metal batteries	充电电池组件	1	3027 26T
(9)	Screw	螺丝	1	0022 221
(10)	Train wheel bridge	轮列夹板	1	0125 908
(11)	Coil block	线圈	1	4002 909
(12)	Third wheel & pinion	三号轮	1	0231 811
(13)	Rotor	转子	1	4146 557
(14)	Centre wheel & pinion	中心轮	1	0221 967
(15)	Setting wheel	拨针轮	1	0281 806
(16)	Yoke	横担	1	0384 806
(17)	Minute wheel	度数轮	1	0261 808
(18)	Setting lever spring	鸡头压片	1	0389 909
(19)	Setting lever	鸡头	1	0383 807
(20)	Setting stem	把芯	1	0351 819
(21)	Clutch wheel	猪笼轮	1	0282 804
(22)	Stator	定子	1	4239 909

VS15A Disassemble Chart (1)



VS15A Disassemble Chart (2)



Note)

Both of the circuit block, new and former one can be assembled to the movement. Movement specification and function remain unchanged in between new and former circuit block.